


SEIKO

QUARTZ

(Cal.41A)



PARTS LIST

Calibre No. <h1 style="text-align: center;">41A</h1>	Jewels <h1 style="text-align: center;">3j</h1>	Style Name
--	--	-------------------



Characteristics

Casing diameter: 19.4^φmm
Maximum height: 3.8 mm
Frequency of quartz crystal oscillator: 32,768 Hz
(Hz=Hertz.....Cycle per second)
Driving system: Step motor system
Regulation system: Trimmer condenser
Second-setting device



Calibre No.		Jewels	Style Name	
41A		3j		
PART NO.	PART NAME	PART NO.	PART NAME	
122 589	Center wheel bridge			
131 586	Third wheel bridge			
224 588	Center wheel & pinion			
225 588	Cannon pinion			
231 588	Third wheel & pinion			
241 588	Sweep second wheel & pinion			
261 589	Minute wheel			
271 589	Hour wheel			
281 589	Setting wheel			
282 589	Clutch wheel			
354 589	Winding stem			
383 589	Setting lever			
384 589	Yoke			
386 589	Setting lever spring			
388 589	Holding plate for setting lever			
399 589	Casing clamp			
491 589	Dial washer			
701 588	Fifth wheel & pinion			
4000 586	Circuit block with crystal oscillator & trimmer condenser			
4002 588	Coil block			
4146 588	Step rotor			
4225 589	Holding spring for battery			
4270 589	Battery connection			
U.C.C. 384 & 312	Silver oxide battery			
022 362	Setting lever spring screw			
022 362	Holding plate for setting lever spring screw			
022 382	Screw for circuit block and coil block			
022 431	Casing clamp screw			
022 484	Center wheel bridge screw			
022 484	Third wheel bridge screw			
022 484	Circuit block screw			
022 484	Coil block screw			
022 451	Screw for battery connection			
022 764	Dial screw			
011 406	Upper hole jewel for sweep second wheel			
011 538	Upper hole jewel for rotor			
011 538	Lower hole jewel for rotor			