
Operation Guide 3752

About This Manual




· Depending on the model of your watch, display text appears either as dark figures on a light background or light figures on a dark background. All sample displays in this manual are shown using dark figures on a light

- All of the displays in this manual show black-on-white. Button operations are indicated using the letters shown in the illustration. Each section of this manual provides you with the
- information you need to perform operations in each mode. Further details and technical information can be found in the "Reference" section

General Guide

Press © to change from mode to mode.
In any mode, press B to illuminate the display



Timekeeping

This watch features separate digital and analog timekeeping. The procedures for setting the digital time and analog time are different. • In the Timekeeping Mode, you can press ① to change the display format as shown

below



Digital Time and Date

Use the Timekeeping Mode to set and view a digital display of the current time and date.

- date. When setting the digital time, you can also configure settings for summer time (Daylight Saving time or DST), your Home City code (the code for the city where you normally use the watch), and the 12/24-hour format. This watch is preset with a number of city codes, each of which represents the time zone where that city is located. When setting the digital time, it is important that you select the correct city code for your Home City. If your location is not included in the preset city codes, select the preset city code that is in the same time zone as your location.
- Note that all of the times for the World Time Mode city codes are displayed in accordance with the digital time and date settings you configure in the Timekeeping Mode.
- After you correctly set your Home City time and date, you can set the watch up for timekeeping with a different city code simply by changing the Home City code in the Timekeeping Mode.

To set the digital time and date

In the Timekeeping Mode, hold down (A) until the seconds start to flash, which indicates the setting



- seconds start to flash, which indicates the second screen.
 Press © twice to move the flashing to the Home City code setting (see the illustration below), and then use (B) and (D) to select the code you want.
 Make sure you select your Home City code before changing any other setting.
 For full information on city codes, see the "City Code Table"

3. Press \bigcirc to move the flashing in the sequence shown below to select the other



4. When the setting you want to change is flashing, use (B) and (D) to change it as described below.

Screen	To do this:	Do this:
50	Reset the seconds to 00	Press D.
0F	Toggle between Daylight Saving Time (CR) and Standard Time (CF)	Press D.
TYO	Change the Home City code	Use () (east) and () (west).
° 10:08	Change the hour or minutes	Use (D) (+) and (B) (-).
12H	Toggle between 12-hour (1 \ge H) and 24-hour (\ge 4H) timekeeping	Press D.
2005	Change the year	Use () (+) and () (-).
6-30	Change the month or day	

5. Press (A) to exit the setting screen. • See "Digital Time Daylight Saving Time (DST) Setting" below for details about the See "Digital T DST setting.

Digital Time Daylight Saving Time (DST) Setting Daylight Saving Time (summer time) advances the digital time setting by one hour from Standard Time. Remember that not all countries or even local areas use Daylight Saving Time.

To toggle the Timekeeping Mode digital time between DST and Standard Time 1. In the Timekeeping Mode, hold down (A) until the seconds start to flash, which indicates the setting screen.



- Start to hash, which indicates the setting screen.
 2. Press () once to display the DST setting screen.
 3. Press () to toggle between Daylight Saving Time () displayed) and Standard Time () f displayed).
 4. Press () to exit the setting screen.
 The DST indicator is on the display to indicate that Daylight Saving Time is turned on.

Setting the Analog Time

Perform the procedure below when the time indicated by the analog hands does not match the time of the digital display.

To adjust the analog time



In the Timekeeping Mode, press © five times to enter the Hand Setting Mode.
 Hold down @ until the current digital time starts to flash, which indicates the analog setting screen.
 Press © to advance the analog time setting by 20 seconds

- 20 seconds.

 Holding down (D) advances the analog time setting at high speed

 If you need to advance the analog time setting a long way, hold down (D) until the time starts advancing at high speed, and then press (B). This locks the highspeed hand movement, so you can release the two buttons. High-speed hand movement continues until you press any button. It will also stop automatically after the time advances 12 hours or if an alarm (daily alarm or countdown beeper) after the time advances 12 hours or it an alarm (daily alarm or countdown bee starts to sound. 4. Press (a) to exit the setting screen. • The watch will automatically adjust the minute hand slightly to match its internal second count when you exit the setting screen. • To return to the Timekeeping Mode, press (c).

CASIO

Operation Guide 3752

CASIO

World Time



World Time digitally displays the current time in 27 cities (29 time zones) around the world.All of the operations in this section are performed in the World Time Mode, which you enter by pressing C

To view the time in another city In the World Time Mode, press (1) to scroll eastwardly through city codes.

- The city code is displayed for about one second, and then
- it is replaced with the current time for that city code. For full information about city codes, see the "City Code Table"
- If the current time shown for a city is wrong, it probably means there is a problem with your Timekeeping Mode time and/or Home City code settings. Go to the Timekeeping Mode and make the necessary adjustme



- To toggle a city code time between Standard Time and Daylight Saving Time
 - whose standard innerDaylight saving time setting want to change. Hold down (a) for about two seconds to toggle betw. Daylight Saving Time (DST indicator not displayed) and Standard Time (DST indicator not displayed).
 - The DST indicator is on the display whenever you display a city code for which Daylight Saving Time is turned on
 - Note that the DST/Standard Time setting affects only the currently displayed city code. Other city codes are not affected.
 - and Daylight Saving Time while SMT is selected as the city code

Countdown Timer



The countdown timer can be set within a range of one minute to 60 minutes. An alarm sounds when the countdown reaches zero. The countdown timer also has an auto-repeat feature and a progress beeper that signals the progress of the countdown. • All of the operations in this section are performed in the Countdown Timer Mode, which you enter by pressing ©.

Configuring the Countdown Timer The following are the settings you should configure before actually using the countdown timer. Countdown start time; Auto-repeat on/off; Progress

- beeper on/off See "To configure the countdown timer" for information
- about setting up the timer.

Auto-repeat When auto-repeat is turned on, the countdown automatically restarts from the countdown start time when it reaches zero. If left running, the countdown is repeated a total of eight times, after which it stops automatically. When auto-repeat is turned off, the countdown stops when it reaches zero and the

- Pressing (i) while an auto-repeat countdown is in progress pauses the current countdown. You can resume the auto-repeat countdown by pressing (ii), or you can press (ii) to reset to the countdown time starting value.

Countdown Timer Beeper Operations

The watch beeps at various times during a countdown so you can keep informed about the countdown status without looking at the display. The following describes the types of beeper operations the watch performs during a countdown

- Countdown End Beeper The countdown end beeper lets you know when the countdown reaches zero. When the progress beeper is turned off, the countdown end beeper sounds for about 10 seconds, or until you press any button to stop it. When the progress beeper is turned on, the countdown end beeper sounds for about 0 accord
- about one second.

Progress Beeper

Progress Beeper When the progress beeper is turned on, the watch uses beeps to signal countdown progress as described below. • Starting from five minutes before the end of the countdown, the watch emits four short beeps at the top of each countdown minute. • 30 seconds before the end of the countdown, the watch emits four short beeps. • The watch emits a short beep for each of the last 10 seconds of the countdown. If the countdown start time is six minutes or grader, the watch emits a chort beep.

- If the countdown start time is six minutes or greater, the watch emits a short beep for each second of the final 10 seconds before the five-minute point is reached. Four
- short beeps are emitted to signal when the five-minute point is reached.

configure the countdown time



 While the countdown start time is on the display in the Countdown Timer Mode, hold down (A) until the current countdown start time starts to flash, which indicates the until the starts to flash. If the countdown start time is not displayed, use the

- In the counterfact and a fact of spice, use the procedure under "To use the countdown timer" to display it.
 Press (© to move the flashing in the sequence shown below to select other settings.




3. When the setting you want to change is flashing, use (B) and (D) to change it as described below.

Setting	Screen	Button Operation
Start Time	05'00	Use (1) (+) and (18) (-) to change the setting. • You can set a start time in the range of 1 to 60 minutes in 1-minute increments.
Auto-repeat	—	Press () to toggle auto-repeat on (+++++++++++++++++++++++++++++++++++
Progress Beeper	₽ON	Press () to toggle the progress beeper on (DN) and off (DF).

4. Press (A) to exit the setting screen.
You can also perform steps 1 and 2 of the above procedure whenever you need to view the current auto-repeat and progress beeper settings.

To use the countdown time 04'59

•



- ner
 Press D while in the Countdown Timer Mode to start the countdown timer.
 The countdown timer operation continues even if you exit the Countdown Timer Mode.
 Press D while a countdown operation is in progress to pause it. Press D again to resume the countdown.
 To completely stop a countdown operation, first pause it (by pressing D), and then press Q. This returns the countdown time to its starting value.

Stopwatch



- and two finishes The display range of the stopwatch is 59 minutes
- 59.99 seconds

The stopwatch lets you measure elapsed time, split times,

- 59.99 seconds.
 The stopwatch continues to run, restarting from zero after it reaches its limit, until you stop it.
 The stopwatch measurement operation continues even if you exit the Stopwatch Mode.
 Exiting the Stopwatch Mode while a split time is frozen on the display clears the split time and returns to elapsed time measurement.
 All of the operations in this section are performed in the Stopwatch Mode, which you enter by pressing ©.

To measure times with the stopwach

Elapsed Time

Liapseu mine				
				A
Start	Stop	Re-start	Stop	Clear
Split Time				
D			(D)	A
Start	Split	Split release	Stop	Clear
	(SPL displayed)			
Two Finishes				
D		(D)	\land	A
Start	Split	Stop	Split release	Clear
	First runner	Second runner	Display time of	
	finishes.	finishes.	second runner.	
	Display time of			
	first runner.			

Alarms

т



You can set five independent Daily Alarms. When an alarm is turned on, the alarm tone sounds when the al time is reached. One of the alarms is a snooze alarm, while the other four are one-time alarms

- While the other tool are off-stime adartis. You can turn on an Houry Time Signal that causes the watch to beep twice every hour on the hour. There are six screens in the Alarm Mode. Four are for one-time alarms (indicated by numbers from $\operatorname{FL} 1$ through $\operatorname{FL} 4$), one is for a snooze alarm (indicated by SNZ), and one is for the Hourly Time Signal (indicated by SNZ).
- All of the operations in this section are performed in the
- Alarm Mode, which you enter by pressing ©

To set an alarm time

ALZJ .

In the Alarm Mode, use

 to scroll through the alarm screens until the one whose time you want to set is displayed.

A 12:00 OF	®┌►	AL1	 →	AL2	 →	AL3	H
		SIG]←	SNZ	-	AL4	-

- To set a one-time alarm, display one of the screens indicated by an alarm number from AL_1 through AL_4. To set the snooze alarm, display the screen indicated

- from AL 1 through AL 4. To set the snooze alarm, display the screen inducated by SNZ.
 The snooze alarm repeats every five minutes.
 After you select an alarm, hold down (A) until the hour setting of the alarm time starts to flash, which indicates the setting screen.
 This operation automatically turns on the alarm.
 Press (C) to move the flashing between the hour and minute settings.
 While a setting is flashing, use (D) (+) and (B) (-) to change it.
 When setting the alarm time using the 12-hour format, take care to set the time correctly as a.m. (no indicator) or p.m. (P indicator).
 Press (A) to exit the setting screen.

ര



0 1/100 second

B

Operation Guide 3752

CASIO.

Alarm Operation

Alarm Operation The alarm sounds at the preset time for about 20 seconds, regardless of the mode the watch is in. In the case of the snooze alarm, the alarm operation is performed a total of seven times, every five minutes, or until you turn the alarm off. • To stop the alarm tone after it starts to sound, press any button. • Performing any one of the following operations during a 5-minute interval between or some operations during a seminute interval between

- snooze alarms cancels the current snooze alarm operation. Displaying the Timekeeping Mode setting screen Displaying the $\exists \mathbb{NZ}$ setting screen

To test the alarm In the Alarm Mode, hold down (D) to sound the alarm.

To turn an alarm on and off



- alarm on and off
 1. In the Alarm Mode, use (1) to select an alarm.

 On/Off status
 1. In the Alarm Mode, use (1) to select an alarm.

 2. Press (2) to toggle it on (0) displayed) and off (1) to select an alarm (1) to select an alarm (2) to select an alarm (2) to select an alarm.

 3.101
 (1) to select an alarm.

 4.101
 (1) to select an alarm.

 5.101
 (1) to select an alarm.

 6.101
 (1) to
 - screen
 - Turning on the snooze alarm (SNZ) displays the alarm on indicator and snooze alarm indicator on the Alarm Mode snooze alarm screen.
 - In all modes, the alarm on indicator is shown for any alarm that is currently turned on. The alarm on indicator flashes while the alarm is
 - sounding. The snooze alarm indicator flashes during the 5-minute
 - intervals between alarms.

To turn the Hourly Time Signal on and off . In the Alarm Mode, use (1) to select the Hourly Time SIIG . Press (b to togele it on (GR displayed) and off . (BF displayed).


- The Hourly Time Signal on indicator is shown on the display in all modes while the Hourly Time Signal is turned on.
- B B **A** Ø // D ©
 - Hourly time signal on indicator

Reference

This section contains more detailed and technical information about watch operation. It also contains important precautions and notes about the various features and functions of this watch.

Graphic Areas

following describes the information indicated by the two graphic areas in each mode



Mode	Graphic Area A	Graphic Area B
Timekeeping	Timekeeping Mode seconds	Timekeeping Mode minutes
World Time	Timekeeping Mode seconds	World Time Mode minutes
Countdown Timer	Countdown time minutes	Countdown time seconds
Stopwatch	Stopwatch time seconds	Stopwatch time 1/10-second
Alarm No indication		No indication
Hand Setting No indication		No indication

Auto Return Feature

If you leave a screen with flashing digits on the display for two or three minutes without performing any operation, the watch automatically exits the setting screen

Scrolling

The (B) and (D) buttons are used in various modes and setting screens to scroll through data on the display. In most cases, holding down these buttons during a scroll operation scrolls through the data at high speed.

Initial Screens

When you enter the World Time or Alarm Mode, the data you were viewing when you last exited the mode appears first.

Timekeeping

- Resetting the seconds to **CC** while the current count is in the range of 30 to 59 causes the minutes to be increased by 1. In the range of 00 to 29, the seconds are reset to **CC** without changing the minutes.
 With the 12-hour format, the **P** (PM) indicator appears on the display for times in the range of noon to 11:59 p.m. and no indicator appears for times in the range of minimize the 14:00 or 100 minimized by 10
- midnight to 11:59 a.m. . With the 24-hour format, times are displayed in the range of 0:00 to 23:59, without
- With the 24-hour format, times are displayed in the range of 0:00 to 23:59, without any indicator.
 The year can be set in the range of 2000 to 2039.
 The watch's built-in full automatic calendar makes allowances for different month lengths and leap years. Once you set the date, there should be no reason to change it except after you have the watch's batteries replaced.

World Time

- The World Time Mode times are calculated from the current Home City time setting in the Timekeeping Mode, using the Greenwich Mean Time (GMT) differentials associated with each city code.The GMT differential is a value that indicates the time difference between Greenwich
- Mean Time and the time zone where a city is located. GMT differential is calculated by this watch based on Universal Time Coordinated
- (UTC) data

Illumination Precautions

This watch has an EL (electro-luminescent) panel that causes the entire display to glow for easy reading in the dark. In any mode, press (B) to illuminate the display for about two seconds.

- use. Display illumination may be hard to see when viewed under direct sunlight.
- Illumination automatically turns of whenever an alarm sounds.
 The watch may emit an audible sound whenever the display is illuminated. This is due to vibration of the EL panel used for illumination, and does not indicate
- Frequent use of illumination runs down the battery.

City Code Table

_	-			
City Code	City	GMT Differential	Other major cities in same time zone	
		-11.0	Pago Pago	
HNL	Honolulu	-10.0	Papeete	
ANC	Anchorage	-09.0	Nome	
LAX	Los Angeles	-08.0	San Francisco, Las Vegas, Vancouver, Seattle/Tacoma, Dawson City	
DEN	Denver	-07.0	El Paso, Edmonton	
СНІ	Chicago	-06.0	Houston, Dallas/Fort Worth, New Orleans, Mexico City, Winnipeg	
NYC	New York	-05.0	Montreal, Detroit, Miami, Boston, Panama City, Havana, Lima, Bogota	
CCS	Caracas	-04.0	La Paz, Santiago, Port Of Spain	
RIO	Rio De Janeiro	-03.0	Sao Paulo, Buenos Aires, Brasilia, Montevideo	
		-02.0		
		-01.0	Praia	
GMT		+00.0	Dublin, Lisbon, Casablanca, Dakar, Abidian	
LON	London	+00.0		
PAR	Paris	+01.0	Milan, Rome, Madrid, Amsterdam, Algiers, Hamburg, Frankfurt, Vienna, Stockholm	
CAI	Cairo	+02.0	Athens, Helsinki, Istanbul, Beirut, Damascus,	
JRS	Jerusalem		Cape Town	
JED	Jeddah	+03.0	Kuwait, Riyadh, Aden, Addis Ababa, Nairobi, Moscow	
THR	Tehran	+03.5	Shiraz	
DXB	Dubai	+04.0	Abu Dhabi, Muscat	
KBL	Kabul	+04.5		
KHI	Karachi	+05.0	Male	
DEL	Delhi	+05.5	Mumbai, Kolkata	
DAC	Dhaka	+06.0	Colombo	
RGN	Yangon	+06.5		
BKK	Bangkok	+07.0	Jakarta, Phnom Penh, Hanoi, Vientiane	
HKG	Hong Kong	+08.0	Singapore, Kuala Lumpur, Beijing, Taipei, Manila, Perth, Ulaanbaatar	
TYO	Tokyo	+09.0	Seoul, Pyongyang	
ADL	Adelaide	+09.5	Darwin	
SYD	Sydney	+10.0	Melbourne, Guam, Rabaul	
NOU	Noumea	+11.0	Port Vila	
WLG	Wellington	+12.0	Christchurch, Nadi, Nauru Island	
	I am data an of to			

*Based on data as of June 2004